

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14640	workload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:33
L2	1582153	performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:34
L3	57453	(disk or disc or dasd or storage or array or RAID) near3 configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:36
L4	2048	(interface or display) with l3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:46
L5	1069	(disk or disc or dasd or storage or array or RAID) with l1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:36
L6	84996	(disk or disc or dasd or storage or array or RAID) with l2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:36
L7	259	l5 same l6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:36
L8	4	l7 and l4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:37

L9	21	17 same l3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:40
L10	7965	(input\$4 or enter\$3) near2 performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:42
L11	25	(input\$4 or enter\$3) near2 ((read or write) adj (characteristic or performance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:41
L12	0	(input\$4 or enter\$3) near2 (random adj read adj hit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:42
L13	0	14 same l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:42
L14	35	14 and l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:42
L15	245	(input\$4 or enter\$3) near2 workload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:44
L16	1	l15 and l4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:43
L17	295821	(operation or access or request) adj3 time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:44

L18	3835	(input\$4 or enter\$3) near2 l17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:44
L19	2	l18 and l4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:45
L20	33652	(configur\$3 or configuration) near3 (RAID or array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:47
L21	3134	(interface or display) same l20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:47
L22	0	l11 and l21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:46
L23	73	l10 and l21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:47
L24	0	l15 and l23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:47
L25	1488	display same l20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:48
L26	1471	(configur\$3 or configuration) near3 RAID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:48

L27	42	display same l26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:48
L28	26693	display near2 (configuration: or configur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:49
L29	235	l20 same l28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:49
L30	2	l26 same l28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/04/26 12:49